FILM-TECH

THE INFORMATION CONTAINED IN THIS ADOBE ACROBAT PDF FILE IS PROVIDED AT YOUR OWN RISK AND GOOD JUDGMENT.

THESE MANUALS ARE DESIGNED TO FACILITATE THE EXCHANGE OF INFORMATION RELATED TO CINEMA PROJECTION AND FILM HANDLING, WITH NO WARRANTIES NOR OBLIGATIONS FROM THE AUTHORS, FOR QUALIFIED FIELD SERVICE ENGINEERS.

IF YOU ARE NOT A QUALIFIED TECHNICIAN, PLEASE MAKE NO ADJUSTMENTS TO ANYTHING YOU MAY READ ABOUT IN THESE ADOBE MANUAL DOWNLOADS.

WWW.FILM-TECH.COM



AUTHORIZED DISTRIBUTOR: JARCO INDUSTRIES TOLL FREE ORDERING 800-458-7578 WWW.CONCESSIONSTANDS.COM

Part No. 49659 Revised April 2002

Master Pop 6 Oz. Popper Popcorn Machine Instruction Manual Models #2450, #2450D





Cincinnati, OH 45241-4807 USA.

Master Pop, 6 Oz. Popper

SAFETY PRECAUTIONS

	A CAUTION	
\triangle	This equipment is designed and sold for commercial use only. This equipment is not to be used by the consumer in home use. Do not allow direct contact of this equipment by the public when used in food service locations. Only personnel trained and experienced in the equipment operation may operate this equipment. Carefully read all installation instructions before operating the equipment.	



A WARNING

Always wear safety glasses when servicing this equipment.



A WARNING

To avoid serious burns, do NOT touch the kettle while it is hot.



A WARNING

Any alterations to this equipment will void the warranty and may cause a dangerous situation. NEVER make alterations to the equipment. Make sure all machine switches are in the OEE position

Make sure all machine switches are in the OFF position before plugging the equipment into a receptacle.

A

DANGER

Machine must be properly grounded to prevent electrical shock to personnel. Do NOT immerse the kettle, warmer, or any other part of this

equipment in water.

Always unplug the equipment before cleaning or servicing.

NOTE

The information, specifications and illustrations contained in this manual represent the latest data available at time of publication. Right is reserved to make changes as required at the discretion of Gold Medal Products Company without notice.

INSTALLATION INSTRUCTIONS

SETUP

Your new MASTER POP Popcorn Machine is completely assembled. Remove all packing material and tape before starting operation.

OPERATING INSTRUCTIONS

CONTROLS AND THEIR FUNCTIONS

There are three switches on the popper.

LIGHT AND WARMER SWITCH

Turns on the heat light.

KETTLE MOTOR SWITCH

Turns on the motor which drives kettle agitator shaft.

KETTLE HEAT SWITCH

Turns on the kettle heat element

AMOUNT OF POPCORN AND OIL

Your new popper is equipped with a six ounce [177 ml] corn measure cup. We recommend flavored and colored coconut oil. Popcorn popped in coconut oil stays fresh longer. Coconut oil does not leave black deposits in your kettle like other oils.

Corn charge - 6 oz. [177 ml] Oil charge - 1.6 to 2.0 oz. [60 ml] Flavacol - 1 tablespoon [8 cc]

POPPING INSTRUCTIONS



1. Turn KETTLE HEAT and KETTLE MOTOR switch "ON".

- 2. Make test pop with 3 kernels of corn and 1 oz. [30 ml] of oil.
- 3. Pour pre-measured popcorn and oil pouch into kettle.
- 4. When corn has popped, dump kettle.
- 5. Repeat steps 3 and 4 for additional batches; always pop 3-5 batches for best popcorn.

To avoid serious burns, do **NOT** touch the kettle while it is hot!

CARE AND CLEANING



A DANGER


Unplug your machine bofore cleaning glass panel and case. Never immerse the kettle in water. This will ruin the electrical components and automatically void the guarantee.

Each time you finish a series of poppings, wipe the outside of the kettle with a soft cloth to remove any oil drippage on the outside of the kettle. After you finish popping for the day, allow kettle to cool until it is not too hot to handle, but still warm. With a cloth, wipe out the inside of the kettle, kettle lid, crossbar, outside and underneath of the kettle.

Cleaning the cabinet of your machine is easy. Wipe excess grease from the glass using a clean cloth. Wipe the outside of the machine also.

NOTE: Never use a glass or plastic cleaner that contains ammonia. It will crack the plastic on the machine.

MAINTENANCE INSTRUCTIONS



A



WARNING

Adequate eye protection must be used when servicing this equipment to prevent the possibility of injury.



A DANGER

Do NOT immerse the kettle, warmer, or any other part of this equipment in water. Unplug your machine before servicing.

ACCESSORIES

Description	Part Number	
Corn Measure Cup	49049	
A-Scoop	47145	
Flavacol Cup	47678	

ORDERING SPARE PARTS


- 1. Identify the desired part by checking it against the photos, illustrations, and/or the parts list.
- 2. When ordering, please include part number, part name, and quantity desired.
- 3. Please include your model name and machine serial number (located on the machine nameplate) with your order.
- 4. Address all parts orders to:

Jarco Industries

order toll free 800-458-7578 or order online at www.concessionstands.com

PARTS LIST - CABINET ASSEMBLY

	Model	Model		
	2450	2450D		
Item No.	Part No.	Part No.	Description	Quantity .
1	22038	22038	Lead-in-Cord, 15 Amp	1
2	42532	42532	Switch, SPST Rocker Type	3
3	42947	42947	50 Watt Flood Light, Coated	1
4	49123	49123	Crutch Tip	4
5	49656	49656	Glide	4
6	49100	49100	Old Main Pan	1
7	49652	49652	Dome	1
8	49653	49653	Bottom Plate Weldment	1
9	49817	49817	Hanger Arm	1
10	49519	49519	Front Glass	1
11	49518	49518	Side Glass	2
12	49651	49651	Motor Plate	1
13	49834	49834	Drive Motor	1
14	49837	49837	Lamp Holder	1
15	49509	49509	Rigid Channel	6
16	49510	49510	Rigid Channel	4
17	67512	67512	Magnet	1
18	49655	49655	Drop Panel	1
19	49511	49511	Rigid Channel	2
20	76026	76026	Strain Relief	1
21	49657	49657	Shipping Carton	1
22	49002	49002	Adjusting Screw	1
23	49650		Corner Post	4
		49650	Corner Post	2
24	47120		Knob Lid Lift	1
		47120	Knob Lid Lift	3
25		49395	Plex Door NM Hinge	2
26		41359	LH Female NM Hinge	2
27		41360	LH Male NM Hinge	2 2
28		41373	RH Female NM Hinge	2
29		41374	RH Male NM Hinge	2
30		49664	Left Rear Corner Post	1
31		49665	Right Rear Corner Post	1
32		49666	Door Stop	1
33		50013	Magnet	2



6 Oz. KETTLE ASSEMBLY

PARTS LIST - 6 Oz. KETTLE ASSEMBLY

Item No.	Part No.	Description .		
	49836	6 Oz. Kettle Complete		
1	20051	Hex Bolt, 3/8-16 x 3/4"		
2	41742	Set Screw, 10-32 x 3/16"		
3	42297	Spacer, Kettle		
4	46241	Conduit Connector, 90°		
5	46528	Acorn Nut		
6	76089	Thermostat		
7	47373	Conduit Connector, Straight		
8	49800	Kettle, Plated		
9	49820	Kettle Lid		
10	49822	Stir Rod		
11	49823	Pivot Bar		
12	49824	Heat Element, 925 Watt, 120 Volt		
13	49828	Shell, Plated		
14	49829	Gasket, Kettle		
15	49839	Agitator Assembly		
16	49841	Element Clamp		
17	49854	Agitator Weight		
18	76075	Plastic Handle		
19	82107-17	SS Flex Conduit, 17" Long		
20	49363	Serrated Hex Nut, #10-24		

ELECTRICAL SCHEMATIC

