## Fil m-Tech

The information contained in this Adobe Acrobat pdf file is provided at your own risk and good judgment.

These manuals are designed to facilitate the exchange of information related to cinema projection and film handling, with no warranties nor obligations from the authors, for qualified field service engineers.

If you are not a qualified technician, please make no adjustments to anything you may read about in these Adobe manual downloads.

www.film-tech.com

## PARTS LIST OF ASSEMBLIES AND ASSEMBLY DRAWINGS

05/28/87

(87148)

CHRISTIE INC.

PART NARRATIVE

PART NUMBER

121045-001

DESCRIPTION

**P35 BASIC PROJECTOR** 

P35 BASIC PROJECTOR
USED ON ALL TO LEVEL PARTS LISTS:
STANDARD, MANUAL & AUTO TURRET
MONO & STEREO, 50 & 60 HZ., INCL. AMC

NEXT REQUEST CODE DESIRED

M.O. #  W.O. #  1	QTY. ISSUED			>10	DATE REO'D
119005-001 1 119005-001 1 119006-001 1 119008-001 1 119015-001 1 119018-001 1 119018-001 5 119018-001 5	1			- 5	
119001-001 119005-001 119006-001 119008-001 119015-001 119017-001 119018-001	-	OTY. SHIT.	RCC. SPARE PIS.	PAHT NAME	В-Н Р/N
119005-001 119005-001 119008-001 119015-001 119018-001 119026-001				Main Frame Plate	7812101
119005-001 119005-001 119008-001 119015-001 119017-001				Rear Plate	7812105
119005-001 119008-001 119015-001 119017-001 119026-001				Top Plate	7812106
119007-001 119008-001 119015-001 119018-001 119026-001				5	7812107
119008-001 119015-001 119017-001 119026-001				ont Plate	7812108
119015-001 119017-001 119018-001 119026-001				- Fra	7812203
119017-001 119018-001 119026-001				di di on	7812205
119018-001	-			פרפי ווסתורוואי ויים בכבי	300000
119026-001				Cover, Top, Projector Mounting Area	/812200
119031-001				Block, Connecting, Corner	7812216
119031-001				Plate, Side, Projector Mounting Area	7812225
$\vdash$				1	7812258
1 119039-001 1	-			Shield, Trap Area	ı
				Shield, Intermittent Area	7812259
<del>                                     </del>				Door w/hinge, Exciter Lamp Area	7812260
+-				noor Eraming lamp Area	7812262
14 119042-001					
15	-	-			7810137
16 119070-001 3				Retainer, Thrust Washer, Intermittent Plate	3
				Shutter Gear Box Assembly	7812103
<del>                                     </del>				Upper Constant Speed Sprocket Assembly	7812110-1
100-665611 01					
D B O D A	22219	19	F 22	H 22403 POSTED MAT. ISSUED	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF CHRISTIE ELECTRIC CORP. AND SHALL NOT BE REPRODUCED, OR COPIED. OR 1950 A. THE BASIS FOR THE MANUFAC.
	22283	83	6 22	AB	CUREMENT OR SALE OF
	_		_		


Sint. Strant Strant Center Constant Spee Lower Constant Speed Framing Knob Assembl Outer Timing Belt Fi Inner Timing Belt Fi Inner Timing Belt Ad Sound Head Assembly	rand name t Speed Sprocket Assemb Speed Sprocket Assemb ssembly elt Fixed Idler Assemb	N/d H-8
Spanner Constant Spee Lower Constant Spee Framing Knob Assemb Outer Timing Belt F Inner Timing Belt F Inner Timing Belt A Sound Head Assembly	rall NAME  t Speed Sprocket Assembly Speed Sprocket Assembly ssembly elt Fixed Idler Assembly	프
Constant Spee Constant Spee ng Knob Assemb Timing Belt F Timing Belt F Head Assembly	t Speed Sprocket Assembl Speed Sprocket Assembly ssembly	
Constant Spee ng Knob Assemb Timing Belt F Timing Belt F Head Assembly	Speed Sprocket Assemblesembly	7812110-2
ng Knob Assemb Timing Belt F Timing Belt A Timing Belt A	Assembly Belt Fixed Idler Assembl	7812110-3
Timing Belt F Timing Belt F Timing Belt A Head Assembly	Belt Fixed Idler Assembl	7812198
Timing Belt F Timing Belt A Head Assembly		7812200
Timing Belt Head Assembl	Belt	7812209
Head Assembl	Belt Adjustable Idler As	sembly 7812223
	Assemb1	7812230
Changeover Douser, L	Douse	y 7812274
Framing Light Assemb	ght As	7812286
iming Belt	Be ]	mbly 7812290
Label TB2		
Shutter Assembly	sembly	7812320
Douser Assembly	sembly	7812309
거	Intermittent Movement	7812109
Bracket, Fastening,	as	er 7812535
Motor Assy, 60 BZ.	9	
Gear Box Outboard Bo	Bearing Support As	sembly 7812441
Label Warning	ning	
	POSTED MAT. ISSUED	UED THESE DRAWINGS AND STELLING CORP.  THE PROPERTY OF CHRISTIE ELECTRIC CORP.  AND SHALL NOT BE REPRODUCED, OR COPIED,  AND SHALL NOT BE REPRODUCED. THE MANUFACTURE.  TORE, PROCUNEMENT, OR SALE OF APPARATUS
	DATE	WITHOUT PERMISSION.

SHEET 3	3	No. of the last		0 2 2	я С	A R O B A	TED LOF MATERIAL ASSEMBLY # PL-	, 0,0
REG. #		ASS	ASSEMBLY NAME	NAME			P35 BASIC PARTS LIST  ATY  DATE REG'D	
W.O. #							N/Q D q	
ITEM NO.	PAHT NO.	OTY. PER ASS'Y	OTY. REQ	OTY. ISSUED	SHT.	SPARE PTS.	-	
37	120415-001	-					Label Exciter	
38	120416-001	_					Label Framing	
2	190631-001	_					Label Caution	
20	120650-1001						Intermittent Plate Assembly 7812520	
£ £	120651-001	-					Intermittent Shoe Assembly 7812400	
1,7	120837-001	-					Label Patent	
<del>1</del>	193647-001	-					Bracket Motor Mounting 7812434	
77								
45								
94	515200-051	-					Nut, Hex, Steel, 3/8-16	
47								
. 84	119292-001	4					Washer, Clamp	
49	515380-040	2					Pin, Dowel, 1/8 Dia x 5/8	
20							- 1	
51	515500-101	53					Screw, Flat Head 82D, Hex Socket, 10-32 x 1/2 S\$	
52	515500-104	7					Screw, Socket Head Cap, Hex Socket, 1/4-20x1,0	
23	515500-105	6					Screw, Socket Head Cap, Hex Socket, 1/4-20x1-1/4	
25	515500-116	2					Screw, Socket Head Cap, Hex Socket, 8-32 x 3/8	
		_		_		-	MAT ISSUED	PECIFICATIONS ARE
REV	ECO						BY BY THE BASIS FOR THE MANUFACTOR OF USED AS THE BASIS FOR THE MANUFACTOR OF USED AS THE BASIS FOR THE MANUFACTOR OF THE BASIS FOR	DUCED, OR COPIED, OR THE MANUFAC. ALE OF APPARATUS
			+	_			DATE DATE	
	-							

.

35	DATE REG'D	-H P/N									TB2	TB3			Iniroval	360 × L037	630 × 1037 Z		598931-204				THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF CHRISTIE ELECTRIC CORP. AND SHALL NOT BE REPRODUCED, OR DISCO AS THE BASIS FOR THE MANUFACTURE PROCUREMENT OR SALT TO APPARATUS MATCH TO THE PROMISSION.	permit to A Committee and the
MODEL # P	P35 BASIC PARIS LISI	PART NAME		Screw, Pan Head, Phil., 8-32 x 1/4	Screw, Flat Head 82D, Phil., 6-32 x 3/8	Stud, Captive, Pem, 3/8 x 1-1/2	Dowel Pin, 1/8 x 3/8	Washer, Clamp	Washer, Split Lock, #1/4	Fan Cord with Receptacle, 18 AWG	Terminal Strip, 4 Contacts, Double Row	Terminal Strip, 5 Contacts, Double Row	Screw, Socket Head Cap, Hex Socket, 8-32 x 1/2	Screw, Pan Head, Phil., 8-32 x 3/8	Thrust Bearing	Belt, Drive, Outer	Belt, Orive, Inner	Door Catch		ق	Switch		POSTED MAT. ISSUED THE PE PART. ISSUED THE PART. ISSUED THE PE PART. ISSUED THE PE PART. ISSUED THE PE PAR	DATE WITHOUT TO THE MALE TO THE MALE THE MALE THE THE THE THE THE THE THE THE THE TH
		RIC.	PTS.																					\-\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
3LY NAME		710	SH1.																<u> </u>		<u> </u>			
AME		014	ISSUED												ļ									
ASSEMBLY NAME		017	REQ.																					1
ASSE	- -	QIY.	PER ASS'Y	3	7	-	2	14	4	-	-	-	ω	٦٧	و	-	<u> </u>		-	-	-	-		
			PART NO.	515500-118	515500-119	E1 E700=121	50000000000000000000000000000000000000	598931-053	515819-503	526030-033	1011-11011	505214-405	598931-044	598931-078	598931-137	00001	0/1-10600	53051-175	590951-201	121350-001	598931-205	540451-214	ECO	+

HEG.#		ASSEN	ASSEMBLY NAME	AME		<b></b>	P35 BASIC PARTS LIST	DATE REG'D
W.O. #			-1					N/d n d
ITEM PAIRT NO.		QTY. PER ASS'Y	KEQ.	OTY. ISSUED	SHT.	REC. SPARE PTS.	PAHT NAME	N/1 L-0
73 598931-21		-					Lamp, Framing	
1	23	2					Fastner, 1/4 Turn, Short	
+-	.074	14					Washer, Flat #8	
-	237	3					Screw, Hex Head, 3/8-16 x 1-1/2	
1	238	4					Washer, Plain Flat, Steel, #3/8	
1	239	ħ					Washer, Split Lock, #3/8	
<del>†                                      </del>	-084	18					Washer, Split Lock #8	
"	246	2					Snap Ring for 1/4 Turn Fastner	
+-	247	2					Spring, Receptacle for 1/4 Turn Fastner	
1	24.8	-					Spring, Clip, Receptacle for 1/4 Turn Fastner	
+-	2							
83								
84 598931-276	.276	7						
	.278	ţ					Screw, Button Head, Hex Socket, 6-32 x 1/4	
<u> </u>	-386	4					Screw, Button Head, Hex Socket, 10-32 x 1/2	
1	-001	_					Label TB3	
	-004	_			-		Insulator Terminal Board TB2	
+	-005						Insulator Terminal Board TB3	
+-	100	.  -		_	<u> </u>		eover Assembly	7812550
90 121135-06		-	-					
			#			#	POSTED MAT. ISSUED TH	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF CHRISTIE ELECTRIC CORP. THE PROPECED, OR COPIED.
REV CECO	+		+	_	+	+	BY OR	USED AS THE BASIS FOR THE MAN
				_	+	+	WII	THOUT PERMISSION.




Hunday.	The second secon		じ	Ţ	E	J T	LÖF MÄTERIÄL ASSEMBLY	
REG. #		ASSE	ASSEMBLY NAME	AME	เร	SHUTTER	GEAR BOX ASSEMBLY 7812103	DATE REG'D
W.O. #				1			- 1 2 2	=
ITEM NO.	PAHT NO.	OTY. PER ASS'Y	OTY. REQ.	QTY. ISSUED	OTY. SHT.	REC. SPARE PTS.	PART NAME	2 / 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	110070011	-					Jack Shaft Bearing Retainer	12
	1100802001	-					Shutter Shaft Bearing Retainer	7812141
7	130000000000000000000000000000000000000	_					Sutter Gear Box Housing	7812142
-	119087-001	-					Sutter Gear Box Jack Shaft	,
	ca8a31-174	-					Ball Bearing	R6ZZ/4C NTN
7 4	508031-173	2					Ball Bearing	R4ZZ/4C Waldes Trual
	700031-156	,					External Retaining Ring	5100-37SPP
1	250231-123	-				<del></del>	Shutter Gear Box Jack Shaft Helical Gear	7812321
ω	119084-001	-					tter Gear Box Shutter Shaft Helical Gear	7812322
0	119085-001	-			_	<u> </u> _		303 Com,
10	598931-095	-						Allied
=	598931-054	-					Spring, Preload, Ball Bearing	Assoc, Spring
12	598931-184	-					Spring, Preload, Ball Bearing	
-	598931-065	_					Spacer, Shim, Precision	2
7 7	598931 <b>-</b> 096						0 Ring	020-19357
	20000						0 Ring	030-19357
5 ,	590931=101	,			-		Pin, Dowel, 1/8 Dia x 3/8, Steel Hardened	
9	598931=018	,					Pin Dowel, 1/16 Dia x 1/4, Steel Hardened	
17	598931-012 598931-044	7 7			-		a	-
			. *					IGS AND SPECIFIC
REV	· ECO B						POSTED MAT. ISSUED THE AND THE BY TORY	THE PROPERTY OF CHRISTIE ELECTROCOPIED AND SHALL NOT BE REPRODUCED, OR COPIED AND THE BASIS FOR THE MANUFACTORE, PROCUREMENT OR SALE OF APPARATUS
⋖	υ		ш	22300	8	+	TE DATE	THOUT PERMISSION.
	=		=	-	•	•	•	

.

ASSEMBLY NOTE. Shut.  1	Gear Box Screw, Socket He Screw, Socket He Pulley, Timing B Rey, Square Key, Square Ball Bearing Washer, Wave Spr High Temp Grease Seal, Oil	PART NAME  ad Cap, Hex Socket, 1/4-20 x 1  ad Cap, Hex Socket, 4-40 x 5/8  elt w/ Flanges, 15 Tooth  elt w/o Flanges, 60 Tooth  ing	DATE REG'D 7812355-1	
9tr. 9tr. 9tr. 1550ED SHI. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Screw, Socket He Screw, Socket He Pulley, Timing B Key, Square Key, Square Ball Bearing Washer, Wave Spr High Temp Grease Seal, Oil	PART NAME  d Cap, Hex Socket, 1/4-20 x  d Cap, Hex Socket, 4-40 x 5  lt w/ Flanges, 15 Tooth  lt w/o Flanges, 60 Tooth  ng	355-	
ASSY ASSY ASSY ASSY ASSY ASSY ASSY ASSY	Screw, Socket He Screw, Socket He Pulley, Timing B pulley, Timing B Key, Square Ball Bearing Washer, Wave Spr High Temp Grease	d Cap, Hex Socket, 1/4-20 x d Cap, Hex Socket, 4-40 x 5 lt w/ Flanges, 15 Tooth lt w/o Flanges, 60 Tooth	355-	
7 1 1 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ew, Socket He ley, Timing B ley, Timing B , Square , Square her, Wave Spr h Temp Grease 1, 0:1	d Cap, Hex Socket, 4-40 x 5  It w/ Flanges, 15 Tooth  It w/o Flanges, 60 Tooth  ng	355-	
1 1 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ley, Timing B ley, Timing B , Square , Square , Bearing her, Wave Spr h Temp Grease 1, 0:1	It w/o Flanges, 15 Toot It w/o Flanges, 60 Too	355-	
- 1 1 2 10. 1 1 1	ley, Timing B , Square , Bearing her, Wave Spr h Temp Grease 1, 0:1	lt w/o Flanges, 60 Ton		
1 1 2 0. 1 1 1	, Square 1 Bearing her, Wave Sp h Temp Greas 1, Oil		7812355-2	
1 0. 1 1 1	Bearing er, Wave Sp Temp Greas	اء ا	7812149-2	Z.
2	Temp Greas	_		6300ZZ/4C ASSUC SPRING
10. 1 1 1	Temp Greas			W0484-009
	0			TG-650HT J. Crane
				25
	Seal, 011			
	Spacer		7812340	Waldes Truarc
	Ring, External R	etaining		98РР
120156~001	Plate, Belt Keep	er Bearing Mounting	7812346	
120157-001	Bearing Mounting	Standoff	7812347	N L
598931~121 1	Ball Bearing (Bel	lt Keeper)		R8ZZ/1E
598931=344	Isolator		7812521	
1 19150-001	Сар		7812229	
598931-185	Set Screw, Hex S	Socket, Cup Point, 10-32 x 1/2.		
		MAT. ISSUED THE	HESE DRAWINGS AND S	SPECIFICATIONS ARE
ECO		ВУ	AND SHALL NOT BE REPRODUCED, OR COPIED, OR USED AS THE BASIS FOR THE MANUFACTURE, PROCUREMENT OR SALE OF APPARATUS	ODUCED, ON CUPIES, FOR THE MANUFAG. SALE OF APPARATUS
		DATE	THOUT PERMISSION.	

SHEET	E Strong	E Carrier I		2 O 2	R	A R O G R O		- <u>l</u> d	
0 0		ASS	ASSEMBLY NAME	NAME				WODEL# P	
W.O. #						Shutter	- 4	Gear Box   DAIE HEUD	
ITEM NO.	PART NO.	QTY. PER ASS'Y	REG.	OTY. ISSUED	D SHT.	REC. SPARE PTS.	<b>1</b> 14	PART NAME	
37	598931=163	2					Sc	Screw, Socket Head Cap, 8-32 x 1	
38	598931-023	-					Set	st Screw, Hex Socket, Cup Point, 8-32 x 3/16	
39	598931-045	4					Scr	rew, Socket Head Cap, Hex Socket, 8-32 x 5/8	
					<u> </u> 				
			-	-	-	<u> </u>			
			1						
					-		-		
			-		-				
				_	-				
			-		-				
		_		-					
					-				
					-				
		<u> </u>		-	-				
		1_	1		1	<u> </u>			
			-	$\frac{1}{1}$	-	_			
						_		Callaga Fore	ATIONS ARE
REV	. ECO			_	ļ			POSTED	OR COPIED.
				_				10	201000000
			_					-	



		PVETION IV	A AD ALDED OUR THORN IN A COMM	 	on ***	
Data		60515 ***	Bill of Material Explosion/Im	brosr	on ~~~	0019
jev	01 UPPER	SPROCKET ASS		~~~~	Croce	Extended
Lev	el Dir	Part No	DCDCI IP - I - I	_	Gross	1.000
2	0010	119054-001	PAD ROLLR ARM STOP	EA	1.000	1.000
~ ~	0020	119056-001	SPRING RETAINER; PD ROLLER	EA	1.000	1.000
	0030	119073-001	SQUARE KEY	EA		2.000
	0040	119073-003	SQUARE KEY	EA	2.000	
<u>'</u>	0050	119078-001	SCREW: ALLEN HEX SCKT SET; STI	EA	1.000	1.000
2	0060	119102-001	PAD ROLLER ARM	EA	1.000	1.000
2	0070	119103-001	SPROCKET HOUSING	EA	1.000	1.000
2	0080	119104-001	TOGGLE ARM	EA	1.000	1.000
2	0090	119106-001	STRIPPER POST	EA	1.000	
2	0100	119107-001	STRIPPER	EA	1.000	
2	0110	119109-001	PAD RLLR ARM SHAFT	EA	1.000	
12	0120	119110-001	SHAFT, UPPER & CENTER C.S SI	PEA	1.000	
	0130	119112-001	ARM TOGL BASE STUD	EA	1.000	
12	0140	119112-002	HOUSE TOGL STUD	EA	1.000	
12	0150	119115-002	TIMING BELT PULLEY	EA	1.000	
)2	0170	598931-023	SET SCR, HEX 8-32x3/16"	EA	3.000	
)2	0170		SCR, SHC 4-40x1/4"	EA	1.000	
)2	0200		SHAFT SPACER	EA	2.000	
)2			SHIM SPACER	EA	2.000	2.000
12	0210	596931-000	VII			

EXPLOD TR L ID 119235-001


Dat	a Tr	ans 9	960515	***	Bill of	Material	Explosion	ı/Imp	losion	***	
ev	01		SPROCKET	ASSY	•		Ç	<b>Oty</b>			0032 🚒
	vel				Descrip	otion		Us	age:Gro	SS	Extended
, 110			598931-0		SHIM SE				EA 2	.000	2.0
, ,			598931-0			SLEEVE			EA 2	2.000	2.0
<i>.</i>			598931-1			PROCKET OF	NLY		EA 1	.000	1.000
,			598931-1				STUD ASSEM	MBLY	EA J	L.000	1.000
,			598931-1		PAD ROI				EA 1	L.000	1.000
<u> </u>	.1		598931-6				$/8 \times .2812$	2	EA 2	2.000	2.000 🕱
,	41		598931-1		CPRSN S		,		EA :	1.000	1.000 🖁
<u> </u>			515500-0		SOCKET					1.000	1.000
2			598931-1		WAVE W				EA :	2.000	2.000 🚌
2			598931-1		– –	G SCREW				1.000	1.000
2			598931-1			HC 10-32x	1-1/2"			1.000	1.000
2			598931-2			ASHER #4	/_			1.000	
2			598931-4				CONSTANT	SPE		1.000	1.000
2						-32X3/8 T				2.000	2.000
2		0380	598931-4	400	SCK IO	-26V2/0 T	RUS		1467	2.000	2.000 4

THORN SECTION SASSES	TACKS N.	ט		C		LOF MATERIAL ASSEMBLY#	PL-11923
REG. #	ASSE	MBLYN	AMESS	EMBL	ASSEMBLY NAME ASSEMBLY UPPER	CONSTANT SPEED SPROCKET 7812110-1	# P35 DATE REG'D
w.o. #					REC.	MANTERS	B-H P/N
ITEM PART NO.	PER ASS'Y	ner.	ISSUED	<b>SET.</b>	SPARE PTS.	ביינאן ועלן	
119055-001	3					Screw, Shaft End, 8-32 x 5/16 (Modified)	7812117
2 598931-107						Sprocket	
	-					Shaft, Sprocket	7812119-1
	-					Screw. Socket Head Cap, Hex Socket, 4-40 x 1/4	
4 598931=0.38							7812116
5 119107-001	-					stripper	L.
6 119106-001	4					Post, Stripper	/817115
7 119103001	-					Housing, Constant Speed Sprocket	7812112
	<b>-</b>					Screw, Socket Head Cap, Hex Socket, 10=32 x 1=1/	2
D 25055							7812356
9 193579~001	7					phacet	7812359
10 193578-001	4					Shoe, Mounting Plate, Upper/Lower	7773
						Shoe, Belt Keeper	7812344
						Screw, Socket Head Cap, Hex Socket, 10-31 x 1.0	
$\top$						Square Kev	7812149-1
13 119073-001	_						
14 598931-185	-						
15 119056-001	_			.		Spring, Retainer	7812123
	~					Screw, Socket Head Cap, Hex Socket, 8-32 x 1.0	
	<u> </u>					Arm Toodle	7812113
17 119104-001	-					318871	-
18 598931-090	2					Sleeve Bearing, Flanged	
1		_		╬	╝	MAT. ISSUED	HESE DRAWINGS AND SPECIFICATIONS ARE PROPERTY OF CHRISTIE ELECTRIC CORF
HEV ECO B		9			$\top$	ВУ ВУ	AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE BOCCHINEMENT OR SALE OF APPARATU
C		ш		1	<u>G</u> 22	TE DATE	THOUT PERMISSION.
		=		-	-	•	

19635-001	DATE REG'D	P/N					2149-4			_	7812111		7812149=3	7812118		7812122-2		7812122-1	7812287-1	7812114		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF CHRISTIE ELECTRIC CORP. AND SHALL NOT BE REPRODUCED OR COPIED. AND SHALL STIFE BASIS FOR THE MANUFAC. THESE AS THE BASIS FOR THE MANUFAC.	UT PERMISSION.
	CONSTANT SPEED SPROCKET 7812110-1 OTY	B-H	Screw, Socket Head Cap, Hex Socket, 8-32 x 1/2	ler	Washer, Wave Spring	aring	Square Key 781	Precision Shaft Spacer	Shaft, Pad Roller	Screw, Set, Hex Socket, Oval Point 781	Arm, Pad Roller 781	Screw, Set, Hex Socket, Cup Point, 8-32 x 3/16	Square Key.	Roller Arm	Precision Shim Spacer	sing Toggle Base	Spring, Compression	Stud, Arm Toggle Base 78	Pulley, Timing Belt (Modified)	ller Arm Stop		THESE THE PR THE P THE PR THE	DATE Provide Programme Communication of the Communi
	LY UPF	REC. SPARE																					+1
= 1	ASSEMBLY UPPER	O OTY.	!																		_		
2	NAME	Q(Y.	-	-																			
<b>J</b> .	ASSEMBLY NAME	200		-	-										-					-	-	$\parallel$	
2 of 3	AS	ON TOTAL		598931-044	598931~117	598931=196	119073-004	598931- 066	598931-116	119078-001	1101020101	115152 551		119073-003	-	598931= 062 2	508031-141	110112-001	19112112		119054-001	CO .	

.


The state of the s	ps: .da		0	a a	SON BOOK SON	TED LOF MATERIAL	- 1 <sub>d</sub>	
	ASSE	ASSEMBLY NAME ASSEMBLY	ASS	EMBLY	UPPER	CONSTANT SPPED SPROCKET 7812110-1	MODEL# P35	
W.O.#	_				8 6	TANKS TO A	8-H P/N	
ITEM PART NO.	PER ASS.Y	REQ.	QTY. ISSUED	OTY.	SPARE PTS.	PAH I NAME	11	
27 598931-194	-					Locking Insert, 8-32 × ,0410		3585-2CN-04
	-					Washer, Split Lock, #4		
	-					Washer, Plain Flat, Steel, #4		
39 390331-151								
		.,						
	<u> </u>							
		_						
	<del></del>	·						
				_				
		_			<u> </u>			
		_		-				
	-							
	1			-	<u> </u>			
		-			-			
- 11		_	_	#		POSTED MAT. ISSUED	THESE DRAWINGS AND SPECIFICATIONS ARI THE PROPERTY OF CHRISTIE ELECTRIC CORP AND SHALL NOT BE REPRODUCED OR COPIED	SPECIFICATIONS ARI STIE ELECTRIC CORF RODUCED, OR COPIED
REV CCO		+	$\downarrow$		+	BY BY	OR USED AS THE BASIS TURE, PROCUREMENT OF WITHOUT PERMISSION.	FOR THE MANUTAL
+		+	1	T	$\vdash$	DATE DATE		
=		=		,				



ENERGY E	E same services .	ACC PARTY	5				LOF MATERIAL ASSEMBLY#	PL- 11922
SHEET	1	ACCE	ASSEMBLY NAME		1		MODEL	# P35
REG. #		<u> </u>			ASSEMBLY	LY CE	CENTER CONSTANT SPEED SPROCKET 7812110-2	DATE REG'D
W.O. #		=			- !!	1		N/d H-a
ITEM NO.	PART NO.	OTY. PER ASS'Y	AEQ.	OTY. ISSUED	SHT.	SPARE PTS.	PART NAME	-
	110066-001	2					Screw, Shaft End, 8-32 x 5/16 (Modified)	7812117
_	190-55081							
2	598931-107						Sprocket	
~	119110-001						Shaft, Sprocket	7812119-1
	03021-038	<b>-</b> -					Screw, Socket Head Cap, Hex Socket, 4-40 x 1/4	
1		•					Stripper	7812116
2	119107-001	-						7812115
9	119106-001	-					Post, Stripper	
L	119103-001	<b></b>					Housing, Constant Speed Sprocket	7812112
	70.000	-					Screw, Socket Head Cap, Hex Socket, 10-32 x 1-1/	2
×	548431=154844							7812356
σ	193579-001	2					Spacer	
		·					Shoe, Mounting Plate, Center	7812358
9	1935//2001							7812344
11	193580-001	4					Shoe, Belt Keeper	
	1	c					Screw, Socket Head Cap, Hex Socket, 10-32 x 1.0	
12	598931=19/	1		_	_		:	7812149-1
13	119073-001	-			1		Square Key	
•	185	-					Screw, Set, Hex Socket, Cup Point, 10-32 x 1/2	
<u>+</u>	25051-155055	_	_				2 C C C C C C C C C C C C C C C C C C C	7812123
4	119056-001	-		_	<u> </u>	_		
7	598931-163	7	-				Screw, Socket Head Cap, Heax Socket, 8-32 x 1.0	-
	75						ara Toogle	7812113
17	119104-001	-	1	1	1			
α •	E08031=090	2					Sleeve Bearing, Flanged	
0	220221 222							
					╬	-	POSTED MAT. ISSUED TH	THESE DRAWINGS AND SPECIFICATIONS ARI THE PROPERTY OF CHRISTIE ELECTRIC CORP THE SHAFF NOT HE REPRODUCED OR COPIED
REV	. ECO B 2	22173	-		+	-	BY BY	NOSED AS THE BASIS FOR THE MANUFAC INF. PROCUREMENT OR SALE OF APPARATU
Ø	C 2	22276			+	+	TE DATE	ITHOUT PERMISSION.
	_ =  _		=		-		•	

P35 DATE REG'D	N/A H-8	11					7812149-4			7812317	7812111		7812149=3	7812118		7812122-2		7812122-1	78122872	7812114	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF CHRISTIE ELECTRIC CORP. AND SHALL NOT BE REPRODUCED, OR COPIED. OR SHALL NOT BE ASIS FOR THE MANUFACTOR URED AS THE BASIS FOR THE MANUFACTOR THE MANUFACTOR OR SAL
TER CONSTANT SPEED SPROCKET 7812110-2	Ц	PAHT NAME	Screw, Socket Head Cap, Hex Socket, 8-32 x 1/2	Pad Roller	Washer, Wave Spring	Ball Bearing	Square Key	Precision Shaft Spacer	Shaft, Pad Roller	Screw, Set, Hex Socket, Oval Point	Arm, Pad Roller	Screw, Set, Hex Socket, Cup Point, 8-32 x 3/16	Ѕquare Кеу	Shaft, Pad Roller Arm	Precision Shim Spacer	Stud, Housing Toggle Base	Spring Compression	Stud, Arm Toggle Base	Pulley, Timing Belt (Modified)	Pad Roller Arm Stop	POSTED MAT. ISSUED
3LY CENTER	•	SPARE PTS.																			
ASSEMBLY NAME ASSEMBLY	₩.	Y. OTY. JED SHT.			<b>6.</b>																
BLY NAMI	·	OTY. OTY. REQ. 15\$UED										1									
ASSEME	- !	PER ASS'Y	~	-	-	- 6	7 -	2	-			3	_	-	6	-	-	-	-	-	
6 0F 2		PART NO.	598931-044	508931=117	230231-102	251-155055	119073-004	598931- 066	598931-116	119078-001	119102-001	598931-023	110073-003	110100-001	200031 063	119112-002	508931=141	100000000000000000000000000000000000000	119114-001	119054-001	ECO .

TURE PROCURENT OR SALE OF APPARA WITHOUT PERMISSION.	ВУ	Λn				<del> </del>			E.
THESE DRAWINGS AND SPECIFICATIONS AR THE PROPERTY OF CHRISTIE ELECTRIC CORI	MAT. ISSUED	POSTED		_	_		_	_  -	
							<del></del>		
				$\frac{1}{1}$					
									ĺ
							1		
		Washer, Plain Flat, Steel, 1/4					-	598951-427	39
		Washer, Split Lock, 114						598931-209	38
	,0410	Locking Thread Insert, 8-32 x					-	598931-194	37
		PAHT NAME	REC. SPARE PTS.	OTY. SHT.	QTY. ISSUED	OTY. REQ.	OTY. PER ASS'Y	PART NO.	ITEM NO.
	7812110-2								W.O. #
L # P35		CONSTANT PSEED SPROCKET	CENTER	> 2	ASSEMBLY NAME	MBLY	ASSE		



PAINT NO.	SSEMB					I WODEL I	7 ~ 7
PART NO.		L	ME	ASSEMBLY NAME ASSEMBLY	LOWER	CONSTANT SPEED SPROCKET 7812110-3	DATE RFO'D
PAIST NO.	1	-	-				R-H P/L
110055.001		OTY. BEQ.	QTY. ISSUED	247. 247.	REC. SPARE PTS.	PAHT NAME	
	<u>                                     </u>					Screw, Shaft End, 8-32 x 5/16 (Modified)	7812117
1202-1202-1	-					Sprooke	
2 598931=107	-	-					7812119=2
3 119110-002 1	<u> </u>		1			Shaft, Sprocket	
E08031=038						Screw, Socket Head Cap, Hex Socket, 4-40 x 1/4	
						Stripper	7812116
5 119107-001	-						7812115
6 119106-001 1	1	$\top$				Post, Stripper	
1 119103-001					i	Housing, Constant Speed Sprocket	7812112
0 508031-195						Screw, Socket Head Cap, Hex Socket, 10-32 x 1-1	2
				·			7812356
9 193579-001 2	+	1				Spacer	
10 103578~001						Shoe, Mounting Plate, Upper/Lower	7812359
						Shoe, Belt Keeper	7812344
120-000						Socket, 10-32 x 1/2	
12 598931-197 2							3-01/10105
13   119073-001   1						Square Key	217
$\vdash$						Screw, Set, Hex Socket, Cup Point, 10-32 x 1/2	-
201-16066							7812123
15 119056-001 1						•	
16   598931-163   2	2					Screw, Socket Head Cap, Hex Socket, 8-32 x 1.0	
						Arm. Toggle	7812113
17 119104-001	_						
18 598931-090 2	2					Sleeve Bearing, Flanged	
				_	_	MAT. ISSUED 11	THESE DRAWINGS AND SPECIFICATIONS AR
REV ECO B 22173		1			$\dashv$	> A	NO SHALL NOT BE REPRODUCED, ON CO. R. USED AS THE BASIS FOR THE MANU
	7						JRE, PROCUREMENT ON SALE OF ALTONING THOUS PERMISSION.

P 3 5	\ <del>=</del>	N/4	l)				10110-4	741310			7812317	7812111	- 1	7	7812118		7812122-2		7812122-1	7812287	7812114	384 SNOTTACTOROUS	THESE BRAWINGS AND STELLIFIED CORP. THE PROPERTY OF CHRISTIE ELECTRIC CORP. THE DANAL NOT BE REPRODUCED. OR COPIED. OR USED AS THE BASIS FOR THE MANUFACTOR DESCRIPTION OR SALE	THOUT PERMISSION.
MODEL #	CONSTANT SPEED PSROCKET 7812110-3 OTY	8	PAHT NAME	Screw, Socket Head Cap, Hex Socket, 8-32 x 1/2	Pad Roller	Washer, Wave Spring	Ball Bearing	Square Key	Precision Shaft Spacer	Shaft, Pad Roller	Screw, Set, Hex Socket, Oval Point	Arm, Pad Roller	Screw, Set, Hex Socket, Cup Point, 8-32 x 3/16	Square Key			Stud. Housing Toggle Base	9	<u>}</u>				POSTED MAT. ISSUED THI	DATE
О Я А	ASSEMBLY LOWER		REG. SPARE PTS.															<u> </u>		-		-		
E 0	1		Y. OTY.												-	-			-			+-	_	
o z	ASSEMBLY NAME		OTY. QTY. REQ. ISSUED							<u> </u>								+-						
<b>7</b> _	ASSEME		OTY. PER ASS'Y	~	-	-	2		2	-	-	-	- 6		1		2		+		-	-		
2 OF 3	1   5   1		PART NO.	110	598931-044	596931-192	598931-120	119073-004	598931-066	200031 116	536331-115	00-0/0511	119102-001	598931=043	119073-003	119109-001	598931-062	119112-002	598931=141	119112-001	119115-003	119054-001	CO u	

n-+- M₃	nc 0	60515 ***	Bill of Material Explosion/Im	plosi	on ***	
Data Ti		,00010		-		0019
	Dir	Part No		sage:	Gross	Extended
Level		194510-001	KNOB TURN DOWN	EA	1.000	1.000
02		119056-001	SPRING RETAINER; PD ROLLER	EA	1.000	1.000
ðs í		119030-001	SQUARE KEY	EA	1.000	1.000
,		119073-001	SQUARE KEY	EA	2.000	2.000
		119073-003	SCREW: ALLEN HEX SCKT SET; STL		1.000	1.000
(		119102-001	PAD ROLLER ARM	EA	1.000	1.000
<b>\$2</b>		119102-001	SPROCKET HOUSING	EA	1.000	
2			TOGGLE ARM	EA	1.000	1.000
02	0100		STRIPPER POST	EA	1.000	
92 2	0110		STRIPPER	EA	1.000	
			PAD RLLR ARM SHAFT	EA	1.000	
<b>3</b> 2	0130		SHAFT, LOWER C.S. SPROCKET	EA	1.000	
02		119110-002	ARM TOGL BASE STUD	EA	1.000	
ි2 වී2	0160		HOUSE TOGL STUD	EA	1.000	
	0170		TIMING BELT PULLEY	EA	1.000	
02	0180		SCR, SHC 4-40x1/4"	EA	1.000	
<b>⊜</b> 2		598931-038		EA	1.000	
ુા2	0240		SCR, SHC 10-32x5/8"	EA	2.000	
<b>Ö</b> 2	0250		SHAFT SPACER	EA	2.000	
<u>Q</u> 2	0260	598931-066	SHIM SPACER	ĿM	2.000	2.000

EXPLOD TR L ID 119237-001 Bill of Material Explosion/Implosion Data Trans 960515 \*\*\* 0033 01 LOWER SPROCKET ASSY ev Extended Usage:Gross Description Part No Level Dir 2.000 EA 2.00 SHIM SPACER 0260 598931-066 2.000 2.06 EA BEARING SLEEVE 0270 598931-090 1.000 🖺 EA 1.000 FILM SPROCKET ONLY 0280 598931-107 1.000 PAD RLR SHAFT, (STUD ASSEMBLY EA 1.000 0290 598931-116 1.000 1.000 EA PAD ROLLER 0300 598931-117 2.000 EA 2.000 BEARING 3/8 x 7/8 x .2812 0310 598931-607 1.000 1.000 EA CPRSN SPRING 0320 598931-141 EXTRNL RETAIN RING LOWER SPR EA 1.000 1.000 0330 598931-155 1.000 EA 1.000 SOCKET SCREW 0350 515500-070 2.000 2 2.000 EA WAVE WASHER 0360 598931-192 1.000 🔄 1.000 EA LOCKING SCREW 0370 598931-194

SCR, SHC 10-32x1-1/2"

SET SCR, HEX 8-32x3/16"

SCR 10-32X3/8 TRUS

PAD ROLLR ARM STOP

1.000

2.000

1.000

3.000

EA

EA

EA

EA

1.000

2.000

1.000

3.000

2

2

2

2

2


0390 598931-195

0420 598931-486

0430 119054-001

0440 598931-023


AND ASSESSED.			I I .	a a	A B O B O	TED LOF MATERIAL ASSEMBLY # PL	<b>L</b> - 1192
SHEET		z   ;					P35
REG. #	ASSE	MBLY I	ASSEMBLY NAME ASSEMBLY	3LY LC	LOWER C	CONSTANT SPEED SPROCKET 7812110-3	DATE REG'D
W.O. #	- - -			1	REC.	PART NAME	B-H P/N
ITEM PART NO.	PER ASS'Y	REQ.	Issue	84. F	SPARE PTS.		
22 508031-194	_					Locking Thread Insert, 8-32 x .0410	
	-					Washer, Split Lock, #4	
1	-					Washer, Plain Flat, Steel, #4	
						Turn Down Knob	7812199
	-					Screw, Socket Head Cap, Hex Socket, 10-32 x 5/8	
	-					Ring, External Retaining	
42 598931-155	-		-				7812120
43 119111-001							
1.1.	2					Screw, Flat Head 82D, Hex Socket, 10-32 x 3/4	
	· 						
			-	-			
					-		
		-					-
		_	_		-		
1	·						
		_					
		-	-	<u>  -                                   </u>			
	-	-		-			
	-	+			_		
			_				
	=				<u></u>	The POSTED MAT. ISSUED TH	THESE DRAWINGS AND SPECIFICATIONS AR THE PROPERTY OF CHRISTILE ELECTRIC CORI
HEV . ECO		+	1		+	ВУ	I SED STALE NOT THE MANUFACT THE MANUFACT THE PROCUREMENT OR SALE OF APPARATURE, PROCUREMENT OR SALE OF APPARATURE,
		+	1		-	TE DATE	THOUT PERMISSION.
_		=	-	-	-	=	




Acres ( 10 c) grammad

:


Programme Assessment	8.00		L		The Lines	TED LOFMATERIAL ASSEMBLY # P	L- 119241
SHEET		Z   ;	0	1			P35
REG. //	ASSE	MBLY	ASSEMBLY NAME		. •	FRAMING KNOB. ASSEMBLY 7812198 OTV	UATE REO'D
		0 17.	QIV.	£5.	REC. SPARE	PART NAME	B-H P/N
NO.	ASS'Y	۳. ر. ۳. ر.	<del>- 11</del>	!!	- F		7812199
1 119114-001	-					Knob Socket Head Cap, Hex Socket, 10-32x5/8	
	-						7812155
3 119142-001	2					Ring, Retaining, External	
	-					Washer, Curved	
	~						
	m					Screw, Socket Head Cap, Hex Socket, 8-32x5/8	
	-				_	Housing, Bearing	7812139
	2					Bearing, Sleeve, Flange	
	-					Pin, Spring, 1/8 Dia x 1/2 Lg.	
10 598931=137	<u> </u>				-	Pinion Gear	7812158
11-119144-001	1_	<u> </u>					-
		-					
			-	<u> </u>			
		<del> </del>					
		-					
		-					
	_				- L	POSTED MAT. ISSUED TH	THESE DRAWINGS AND SPECIFICATIONS ARI THE PROPERTY OF CHRISTIE ELECTRIC CORP THE PROPERTY OF CHRISTIE AND SHALL NOT DE REPRODUCED, ORANIFAC
REV ECO B		W   P		22173		ON DATE DATE	USED AS THE BASIS FOR THE PRANKED INC. PROCUREMENT OR SALE OF APPARATUS HOUT PERMISSION.



TO SHA	Basili			0		TEO LOF MATERIAL	ASSEN	
SHEEL.	AS	ASSEMBLY NAME	NAME	\ <del>-</del> =	OILTER TIMING	MING BELT FIXED IDLER	ASSEMBLY 2012200	# P-35 ULIKA
W.O. #	_							-
ITEM PAHT NO.	OTY. PER ASS'Y	OTY.	Off. ISSUED	SHT.	SPARE PTS.	PART NAME		
!!	<u> </u>					Screw, Flat Head Cap, 1/4-20	20 × 1,0	
1	-					Standoff		7812201
2 119146-001	1	-				so ator		7812521
3 121120-001	_			-		Outer Idler Roller Assembly	>	7812341
4 119259-001	_					2040		7812522
5 121125-001	_		-	-	-	lsolato		7812229
6 119150-001	1	1		_		Cap		
7 598931-033	4					Screw, Socket Head Cap, 1/4	/4-20 × 1.50	
<u> 11 1</u>	,		-					
	-	-	-					-
	<u> </u>		-	-				
				.				
	<del> </del>							
	-			-				
	-			_				
	4	-\  '		4		POSTED	MAT. ISSUED	THESE DRAWINGS AND SPECIFICATIONS ARI THE PROPERTY OF CHRISTIE ELECTRIC CORP AND SHALL NOT BE REPRODUCED OF COPIED
HEV ECO C		1	7.7.7	712		λū	ВУ	OR USED AS THE BASIS FOR THE MANAGED TO TURE, PROCEINTEMENT OR SALE OF APPARATUE MANAGED TO THE PERMISSION.
A		-	-			DATE	DATE	
-		:						



O. S. C. S.	Participation of the Control of the	Kerney		0 Z	A H O H O	0		TE D LLOF MATERIAL ASSEM	<u> </u>	
REG. #	1	AS	SEMBL	ASSEMBLY NAME	w	OUTER		IDLER ROLLER ASSEMBLY 7812341	MODEL# P35 OTY DATE REG'D	
W.O. #		=  ±	1		1		AEC.	PALIT NAME	B-H P/N	
ITEM NO.	PART NO.	ASS'Y	REQ.	Q. ISSUED		SHI.	PIS	Н	7812335	
_	119283-001	-						Outer Belt Idler Roller	7773	NTN D877/1F
	c80031_121	2						Ball Bearing		des
,	20001 167	-						Internal Retaining Ring		Allied Dev
- h	751=15565	-						Precision Shim Spacer, .020 Thick		083015
#	250931=155085	<u> </u>	-							
			-							
		1	-	-		<u> </u>				
			-	+	+	$\dagger$				
				_	$\dashv$	$\dashv$				
		-	-	-						
		1	<u> </u>	+	+					•
					+					
				H= 44						
				_						
		-	+	-						
			$\dashv$	+		+				
			_	-		+				
					•					
		1	+-	-						
ł		-	+	-						
		=	╬	-  -	-		-	POSTED MAT. ISSUED	THESE DRAWINGS AND SPECIFICATIONS AT THE PROPERTY OF CHRISTIE ELECTRIC CORE AND SHALL NOT DE REPRODUCED, OR COPIE	SPECIFICATIONS AI SISTIE ELECTRIC COR PRODUCED, OR COPIE
REV	. ECO C	19769	#	+			+		OR USED AS THE BAS TURE, PROCUREMENT (	IS FOR THE MANULA IR SALE OF APPARATI
A	12/15/80		$\dagger$	1		+	$\vdash$	DATE DATE		
മ	119662 " 1	_	=	-		•				




INNER TIMING LELT FIXED ILLER ASSEINULY

3/1-


Energy Warra	(M) 192	Taken of				LOF MATERIAL	TERIAL ASSEMBLY	# <b>pL</b> -11924	
SHEET		z   2		1	c		MODEL	P35	
REG.#	ASSEN	ASSEMBLY NAME		INNER	TIMING	ING BELT FIXED IDLER ASSEMBLY	MBLY 7812209 OTY	DATE REO'D	
W.O.#	PER.	OLY.	QTY. ISSUED	OTY. SHT.	REC. SPARE	PART NAME	АМЕ	8-H P/N	
	- CCV					Standoff		7812228	
119149~001	-							7812229	
2 119150-001						Smooth Idler Roller Ass	Assembly	7812324	
3 119260-001						Dean tolog	Hex Head. 1/4-20 x 2-1		
4 598931-034						X .		7812521	
5 121120-001	2					Isolator			
								-	Ī
				<u> </u>					
					_		POSTED MAT. ISSUED	THESE DRAWINGS AND SPECIFICATIONS AR THE PROPERTY OF CHRISTIE ELECTRIC CORIE	IONS AR RIC CORI
HEV C ECO				+	+	βλ	8	OR USED AS THE BASIS FOR THE M TURE, PROCUREMENT OR SALE OF API	MANUFA
<b>*</b>				-	+	DATE	DATE	WITHOUT PERMISSION:	
B   22/73		=		-	-				

-




ASSEMBLY, ROLLER, SMOOTH INNER BELT FIXED IDLER 119260-001

TESHS	2(40)	Z -	0	A B	A B O B O D N	TEO LOF MATERIAL ASSEMBLY#	<b>PL-</b> 11926
HEG. //	ASSEA	ASSEMBLY NAME		INNER	SM00 TH	10LER ROLLER ASSEMBLY 7812324 ary	
	8 ا	ALO	017	ο1γ.	REC.	PAHT NAME	B-H P/N
ITEM PART NO.	PER ASS'Y	REQ.	ısşneo	SHT.	PIS.	- 11	7666185
119209-001						Roller Smooth Inner Timina Belt	/01444/ NTN NTN
$\dagger$						Ball Bearing	1 - 3
-	-					Internal Retaining Ring	N5000-1173F
3 23052 5							
				_			
			<u> </u>				
			_	-			
		_					
				_			
	4	_	_  _		<u> </u>	POSTED MAT. ISSUED	THESE DRAWINGS AND SPECIFICATIONS ARI THE PROPERTY OF CHRISTIE ELECTRIC CORP AND SHALL NOT BE REPRODUCED OF COPIED
$\dot{+}$	9662	+	_		-		OR USED AS THE BASIS FOR THE MANYOUS TURE, PROCEINGMENT OR SALE OF APPARATURE TURE, THE STATE OF APPARATURE THE APPARATURE THE STATE OF APPARATURE THE APPARATURE THE APPARATURE THE STATE OF APPARATURE THE APPARATU
A 12/15/8		+	_		-	DATE DATE	
=		=	_	•	•		




Biblio Andrews	(Value 18)	<b>E</b>	Richard	Floria	Chiefe Contains		MATERIAL ASSEMBLY#	jp7611 - 11d
SHEET		4	SSEMBL	ASSEMBLY NAME	c		> IBX 3000 au 10 10 11 10 10	r P35
REG. #		<u>₹</u>	SSEMBL			NER 1	INNER TIMING BELT ADJUSTABLE IDLER ASSEMBLI 7812223	DATE HEG'D
		- C-		- GIV.	, OTY	REC. SPARE	E. PAHT NAME	8-H P/N
NO.	PART NO.	Z. A.		<del></del>	!	11	Mounting Block	7812224
1 119152-001	-001	<u> </u>	-		-		ndoff	7812226
2 119153-001	100-	_				-	an J	7812229
	-001						Toothed Idler Roller Assembly	7812325
	100						ew, Socket Head Cap, Hex Socket, $1/4-20 \times 1$ .	0
6 598931-357	-357						Screw, Socket Head Cap, Hex Socket, 1/4-20 x 1	-3/4
	-207	-					Washer, Plain Flat, #1/4	
	0.86						Washer, Split Lock, #1/4	
	-001	2					Isolator	7812521
		_			-	<u> </u>		
					-	_		
			+	-	+	_		
		<u> </u>		1				
				_		$\dashv$		
					-			
		<u>                                     </u>				<u> </u>		
		+						
		$\dashv$					POSTED MAT. ISSUED	THESE DRAWINGS AND SPECIFICATIONS THE SECOND OF CHRISTIE ELECTRIC CONTINUES FOLIA NOT BE REPRODUCED, OR COP
A REV	v A W		+	T Z	22245		B A	ORD STOCKS THE BASIS FOR THE MANUTA TURE, PROCUREMENT OR SALE OF APPARATL WITHOUT PERMISSION.



ASSEMBLY ROLLER TOOTHED 119261-001

MOLE   ASSENGE VAME   TOOMED DUER ROLLER ASSENGE   TOOMED DUE NOT TOO	PART NO. 119210-001 598931-157 598931-157	SSEME	2 2	UV					
19210-001   1	PART NO. 119210-001 598931-121 598931-157		, ,	2		Ε.	IDLER ROLLER ASSEMBLY 7812325		
19210-001   1	119210-001 598931-121 598931-157	1	4	1	OTV.	REC. SPARE	PART NAME	푸	
119210-001   1   Toothed Idder Roller   Sep31-121   1   Ball Bearing Ring   Internal Retaining	119210-001 598931-121 598931-157	-#-		<del> ;</del>		E			
538931-121   1	598931-121	$\dashv$					Idler		7
1	598931-157	<u>-</u>					_		Se
598931-157	598931-157						ernal Retaining		N5000-112
		+							
Food   B   19662   B   Date   Date			İ						
ECO   B   19662   BY   BY   BY   BY   BY   BY   BY   B		+							
		-							
FCO   B   19662   MAT   ISSUED   MAT   M		+							-
FCO   B   19662   BY   BY   BY   BY   BY   BY   BY   B				-					
Columbia	_								
FCO   B   19662   BY   DATE	-								
FCO   B   19662   BY   BY   BY   BY   DATE   DATE									
ECO   B   19662   Bay									
FCO   B   19662   BY   BY   BATE   DATE									
FCO   B   19662   BY   BY   DATE   DATE   DATE		$\top$							
FECO   B   19662   BY   BY   DATE   DATE   DATE									
ECO   B   19662   BY   BY   DATE   DATE   DATE									
ECO   B   19662   BY   BY   DATE   DATE   DATE									
ECO         B         19662         MAT. ISSUED           12/15/80         BY         BY           DATE         DATE         DATE		+							
ECO         B         19662         MAT. ISSUED           12/15/80         BY         BY           DATE         DATE         DATE		_							
ECO         B         19662         MAT. ISSUED           12/15/80         BY         BY           DATE         DATE         DATE								,	
12/15/80 BY BY 12/15/80 DATE DATE					_		POSTED	THESE DRAWINGS AND S THESE DRAWINGS CHRIS THE SHALL NOT BE REPR	SPECIFICATIONS THE ELECTRIC C
12/15/80 DATE DATE	. ECO B	7				_		TURE, PROCUREMENT OR	SALE OF APPARA
					$\frac{1}{1}$	+		WILHOOF TENENSCION	



Comment

والمعطا فمستدين أفسا


1, mar 1,

ج م م

The second

	Section 18		C. Sal			Stores Reserved		THE DESTRUCTION OF MATERIAL ASSEMBLY # PL- 1192	
SHEET.	_	-		ב ב ב	ב ס ט			MODEL # P35	
REG. #		$\frac{\mathbf{r}}{\mathbf{r}}$	ASSEME	ASSEMBLY NAME	ת ב				
W.O.#				1				N/A H-8	
ITEM NO.	PAHT NO.		PER ASS'Y	OTY. IS	OTY. ISSUED	OTY.	REC. SPARE PTS.	:	
-	121331-001							Soundhead Sub-Assembly	
	121326-001		-					Exciter Lamp & Scanning Lens Mounting Assembly 7812630	
	119215-001								
1	598931-045		2					Screw, Socket Head Cap, Hex Socket, 8-32 x 5/8	
L C	194434-001		-					Cover, Front, Exciter Lamp Area	
\ \ \	515200-060	<u> </u>	2					Nut, Keps, Steel, 4-40, Black Oxide	
, i	515500-099	<u> </u> 	2					Screw, Socket Head Cap, Hex Socket, 8-32 x 1/4	
, «	598931-249		2					Screw, Button Head, Hex Socket, 4-40 x 1/4	
σ	598931-278	 	2					Screw, Button Head, Hex Socket, 6-32 x 1/4	
		+					_ <del></del>		
		+-	+						
		=							
						-			
		+							
		+							A SMORTORING
		╗				-	$\vdash$	THESE DRAWINGS AND SPECIFICATION OF THE PROPERTY OF CHRISTIE ELECTRIC COPIE  AND SHALL NOT DE REPRODUCED OR COPIE  AND SHALL NOT DE REPRODUCED.	CIFICATIONS AF ELECTRIC COR UCED, OR COPIE
REV	03		1	ام	22274	+	2 6	BY BY	E OF APPARATU
A	U	7.3	23173	الد	777	╀	╀	DATE DATE	
	=	_	-			•			


•



						MODEL	P35	
REG. //	ASSE	ASSEMBLY NAME	NAME	SC	SOUNDHEAD	SUB_ASSEMBLY	<b>\</b>	
w.o. //	==							
ITEM PAHT NO.	OTY. PER ASS'Y	REQ.	OTY. ISSUED	OTY. SHT.	SPARE PTS.	PART NAME		
<del>-  -</del>	-					Plate Sound Head	7812234	
11919/2011	-					Sound Drum	Z	New Hampsh
_   .						Ball Bearing		7010
598931-122	, , .					Housing, Bearing, Sound Drum	7812235	
119158-001	-  ^					, Prelo	7812303	
119109-001	-					Spring, Compression	. 33 11	Waldes Irl
598931-156	-					1		1 2
700021						Screw, Socket Head Cap, Hex Socket, 8-32 X 5/8		
100021_024	2					Screw, Set, Hex Socket, Cup Point, 8-32 X 3/8		Almot al
丅	,					Pin, Dowel, 1/8 Dia X 1/2 Inch Long		. [
10 598931-01/	7	_	-			Pin Spring, 1/8 Dia X 1/2 Inch		Almetal
598931-132	-	_	-			Solle Bolle		
12 121052-001	-		_	-				
13 .		_						
14		-		-				
15		-	-			0 100	7812294	
16 121312-001	2	_				GILL ASSERTION		
17 18 598931–154	2					Ring, Retainer, External		
						MAT. ISSUED	THESE DRAWINGS AND SPETTY OF CHRISTIE	CIFICATIONS ELECTRIC ( UCED, OR CO
HEV ECO			_		+	8	AND SHALL NOT BE INSIST FOR THE MANUFA OF USED AS THE BASIST FOR THE MANUFATURE, PROCUNEMENT OR SALE OF APPARATION.	LE OF APPAR
A 22373		+	$\frac{1}{1}$	T	$\mid$	DATE		

				Allen	1	Allied Dev.   DB305	Allied Dev.	New Hampshire 81883PP/7								Lee Spring.		Allen								ND SPECIFICATIONS ARE	THESE DIVINITY OF CHRISTIE ELECTRIC CONF. AND SHALL NOT DE REPRODUCED OR COTIED. AND SHALL NOT DE REPRODUCED OR COTIED. AND SHORE DAYSIS FOR THE MANDALIS.	7		
# P35		N-H P/N	:						1 .	7812231	7812232	7812241	781227	2,000	7812243					7812233		F/N 49915-1	7812240	101010	/812122	A soviewage service	THE SE PROPERTY OF CI AND SHALL NOT DE F AR USED AS THE BA	TURE PROCUREMENT WITHOUT PERMISSION	Service Company	
BILL OF MATERIAL MODEL	SUB - ASSEMBLY	1	PART NAME	Socket, Cup Point, 6-32 x 1/4		1	Spacer, Shim	Spacer, Shim	Ball Bearing	Arm, Upper, Sound Head	-			Bar, Spring, Lower Arm, Sound Head	Shaft, Arm Pivot, Sound Head	n: nowel 1/16 Dia x 3/8 inch long			Screw, Set, Hex Socket, Cup Point, 4-40 x 1/8	Assembly Dash Pot Shield		1		Bracket Dash Pot, Sound head	Washer, Clamp, Dash Pot		POSTED MAT. ISSUED	BY BY	The control of the co	
ח	SOUNDHEAD		REC. SPANE PTS.																					1						
Y			orr. SHT.				.			<u> </u>	_	-	-				<u> </u>			<u> </u>	<u> </u>		-				-			
I	VAME		Off. ISSUED										1				-		<u> </u>		+	-	-			-	-	-	+	
	ASSEMULY NAME	1	90 Y.							<u> </u>	-		1				-				+	-			<u> </u>	-	╬	+	+	
	ASSE	<del></del>	P.C.	ASST	2	2	7	2		-	1_	1	4		1 6	1	4		<u> </u>	<del> </del>	<u> </u>	$\frac{1}{1}$			-	+				
r 2 OE 3	5		CNTEAC		598931-021	E98931-023	- 1508021	200031 063	2302112055	598931-145	119154-001	119155-001	119161-001		100-701611	119163-001	598931-069			598931-026	119156-001		598931-052	110160-001	00000	119292-001		ν ΕCO	7000	) ) :

Control School Section	The second						TE B LL'OF MATERIAL ASSEMBLY # IT.	171, -	<b>9</b> (100 A)
سا		-	o	I .				35	
REG.#	VSS	EMBL	ASSEMBLY NAME	พ	Sour	SOUNDHEAD	SUB - ASSEMBLY	DATE REG'D	
w.o.#		1 1	-	<u>"</u>	-	R.C.	PART NAME	B-H P/N	
ITEM PART NO.	ASS'Y	שנה.	issue issue	- 11	Siii:	PTS.	И		
ro8031_107							Washer, Plain Flat, Steel, #4		
16666	-	-					Washer, Spring Lock, #4		
598931	-	_	-		<del>                                     </del>		Screw, Socket Head Cap, Hex Socket, 4-40 x 3/8		Allen
59893		-	-				Washer, Plain Flat, Steel, 16		
Ť		-	<u> </u>				Washer, Spring Lock, 1/6		
i i	1 ~		-		<del></del>		Screw, Socket Head, Hex Socket, 6-32 x 3/8		Allen
42 598931-041		<u> </u>	-						
		+	-	1	T				
		_	-	$\dashv$					
	<u> </u> 		-						
	<u> </u>	-							
	<u> </u>	+-							
	1.		1						
		<u>                                     </u>							
		+							
		+	<del> </del>						
	<u> </u>								
	<u> </u>	+							
							THI POSTED MAT. ISSUED TH	THESE DRAWINGS AND SPECIFICATIONS THE PROPERTY OF CHRISTIE ELECTRIC C AND SHALL NOT BE REPRODUCED OR COI	SPECIFICATIONS STIE ELECTRIC C RODUCED, OR COI
REV ECO		+	+			$\frac{1}{1}$	BY	R USED AS THE TOTAL	SALE OF APPAR
		T	+			_			




SPECIFICATIONS AN HISTIE ELECTRIC CORI PRODUCED, OR COPIEC S FOR THE MANUFAC S SALE OF APPARATU	THESE DRAWINGS AND SPECIFICATIONS AR THE PROPERTY OF CHRISTIE ELECTRIC CORI THE PROPECT OF CHRISTIE ELECTRIC CORI AND SHALL NOT BE REPRODUCED, OR COPIET AND USED AS THE BASIS FOR THE MANUFAC TURE, PROCURLMENT OR SALE OF APPARATU WITHOUT PERMISSION.	22373 H 22376 POSTED MAT. ISSUED  22375 BY BY DATE DATE	R 2 2	77.88	D 22274 E 22358	4+	22173	A C B
		Ring, Retainer, External			-		2	17 18 598931-154
	7812294	Lateral Guide Roller Assembly 110.777		-			2	15 121312-001
		Exciter Lamp					4	14 119215-001
	7812247	Lamp and Lens Mounting Assembly					-	13 119262-001
		By-pass Roller Assembly, Sound Head					_	
		Pin, Spring, 1/8 Dia.x 1/2 inch long			-		-	
Almetal		Pin, Dowel, 1/8 Dia x 1/2 inch long					7	10 598931-017
Almetal		p Politic of 25			_		2	9 598931-024
Allen		Hex socker					7	8 598931-045
Allen								7 598931-156
Waldes Iru 5133-37SPF		Spring, Compression				_	-	6 598931-140
1		Cup, Preload Spring, Sound drum					2	5 119169-001
-	7812203	Housing, Bearing, Sound Drum					_	
	, C	Ball Bearing					7	
New Hampsh FR6PPD/7		Sound Drum						2 598931-110
	7812234	Plate Sound Head					-	1 119157-001
		PANT NAME	REC. SPARE PIS.	SHT.	gry. ISSUED	PEQ.	QTY. PER ASS'Y	ITEM PAHT NO.
	DATEREG'D	200ND HEAD ASSENDED 7812230   QTY					-	неG. // W.O. //
,,000,	P35	LL OF MATERIAL ASSEMBLT #	ח	Y	L		(Acade)	SHEET.
	<b>p</b> [- 1192	# XTRUET TO THE TOTAL TO	THE PARTY OF		Î	•		


.

																•												3	
			Allen	Allied Dev.	08305	08304	New Hampshire R1883PP/7							- 4 - 7	Lee Spring		Allen								SPECIFICATIONS ARE	THESE DRAWINGS AND STIE ELECTRIC CORP.  HE PROPERTY OF CHRISTIE ELECTRIC CORP.  AND SHALL NOT BE REPRODUCED, OR COPIED.  AND SHALL AS THE DASIS FOR THE MANUFACTOR.	R SALE OF APPARATUS	The state of the s	
P35 DATE REG'D	8-H P/N							1 4	7812231	7812232	7812241	7812327	101021.3						7812233	- 1	Airpot Corp. P/N 49915-1	1812240	(012270)			THESE DRAWINGS CHE THE PROPERTY OF CHE AND SHALL NOT DE RE	TURE, PROCUREMENT O	A company of the control of the cont	
SOUND HEAD ASSEMBLY 7812230		PAINT NAME	Screw, Set, Hex Socket, Cup Point, 6-32 x 1/4	Screw, Set, Hex Socket, Cup Point, 8-32 x 3/16		Spacer, Shim	Spacer, Shim	Ball Bearing	Arm, Upper, Sound Head	Arm lower, Sound Head		,	Bar, Spring, Lower Arm, Sound head	Shaft, Arm Pivot, Sound Head	Pin nowel 1/16 Dia x 3/8 inch long	1	'	Screw, Set, Hex Socket, Cup Point, 4-40 x 1/8	Assembly Dash Pot Shield			Air Pot	Bracket Dash Pot, Sound head			POSTED MAT. ISSUED	BY BY	· · · · · · · · · · · · · · · · · · ·	No.
8		REC. SPARE PIS.																		<u> </u>									
		OTY. SHT.			22.4.					_	-	-	_			-	1			-	<u> -</u>	-			-	-			1
AME		OTY. ISSUED								_						-	-		-	-		_	-		-	1	+	+	
ASSEMBLY NAME		OTY.									_					-	_		_		_			-	-	+	+	<u> </u>	:
ASSEI		OTT. PER ASS'Y		7	2	2	2	-1	,		-	1			1	7	4	•	<del> </del>	1	<del> </del>		-	·  	+	$\blacksquare$			
T 4. 0F 2.		A PART NO.		598931-021	598931-023	598931-064	598931-063	508031-125	73021-152655	119154-001	119155-001	119161-001	119167-001		119163-001	598931-069	508931-145	,	598931-026	119156-001		598931-052	100 07.000	100=001611			. ECO		_

Trees. Nov.			I D	T		LL OF MATERIAL ASSEMBLY # P	11924 - 11924 - T
	ASSE	MBLY	ASSEMBLY NAME			IND HEAD ASSEMBLY 7812230 OTY	DATE REG'D
W.O.#	_			-			B-H P/N
ITEM PART NO.	OIY. PER ASS'Y	. P. C	OTY. ISSUED	D SHT.	SPARE PIS.	PAHT NAME	
			-				
37			-				
38			-	_			Allen
39				-			
40 598931-068	2	_				Washer, Plain Flat, Steel, #b	
	2	<del></del>				Washer, Spring Lock, #6	١ -
	2			<del></del> ·		Screw, Socket Head, Hex Socket, 6-32 x 3/8	4
+	-	_				Cover, Front, Exciter Lamp Area	7812269
43 119043-001	-	_	<u> </u>	<u> </u> 		Nut Keps. Steel, 4-40, Black Oxide	
44 515200-060	7	- -	$\frac{1}{1}$	+			
45   515500-099	7						
1	2				77	Screw, Button Head, Hex Socket, 4-40 x 1/4	
	·	-				Screw, Button Head, Hex Socket, 6-32 x 1/4	
47 598931-278	7	+	-	-			
		-	1	-	+		
	<u> </u>						
		-	-				
		-	-	1-	<u> </u>		
		-	-	-			
-							
	<u> </u>		<u> </u>				
	<u> </u> 	-	<u> </u>				A SUCITACISIONS
	=	╬	-			POSTED MAT. ISSUED THE	THESE DRAWINGS AND SPECIFICATIONS THE PROPERTY OF CHRISTIE ELECTRIC CORT THE PROPERTY OF THE MANUFAIT FOR THE MANUFAIT
HEV . ECO		+	+			BY 08	USED AS THE WAY OF SALE OF APPARATURE PROCUINEMENT OR SALE OF APPARATURE PERMISSION.
		$\frac{\perp}{1}$	+			DATE DATE	
-		=	-				



	2	Sec. and	_			Charles 1	MESSENBLY P	-
SHEET	i I		-	0	Œ	0 E	יי. שי	Р 35
REG. #		ASSI	EMBL	ASSEMBLY NAME	Lamp	[ pun	Lamp and Lens Mounting Assembly	DATE REG'D
W.O.				- 4-			AND THE PERSON OF THE PERSON O	B-11 P/N
ITEM NO.	PAHT NO.	PER PER ASS'Y	30 ×	OTY.	SHT.	SPARE PTS.	PART NAME	70010
-	119170-001						Base, Exciter Lamp and Scanning Lens	7778
٠   ١	110171-001			-	-		Block, Exciter Lamp and Scanning Lens	7812264
7	110175_001				-		Scanning Lens	
n .	100 230011	-	-	-			Exciter Lamp Mounting Assembly	
4 ,	119207-001	1 -			-	<u> </u>	Collar Focus Lock Scan Lens	7812293
0	700-7/1611	-		-	-		Spring Compression	
ז   פ	598931-130	1 ~					Screw, Socket Head Cap, Hex Socket, 8-32x1/2	
- 0	598931-067	.   -			-		Screw, Fil. Head, Slotted 6-32x3/4	
o   ·	2000	-	-		-		Washer, Flat, #8 Stainless Steel	
o	515819-505	* (	-	-		-	Screw, Socket Head Cap, Hex Socket 8-32x5/8	
10	598931-045	7	-		+		Same Hend Cap, Hex Socket 10-32x2	
11	598931-051	-	-	+	-	_		
12	598931-068	-			_		Washer, Plain Flat, #8	
13	598931-076	-					Washer, Plain Flat, #10	
1 2	598931-084	2	<u> </u> 				Washer, Split Lock, #8	
15	598931-085	-					1	
9	598931-040	-			-		Screw, Socket Head Cap, Hex Socket, 4-40 x 5/8	
								-
						_		
								HESE DRAWINGS AND SPECIFICATIONS ARI
NEV.	, ECO B		╂╡				POSTED MAT. ISSUED	THE PROPERTY OF CHINSING ELECTION OF COPIED AND SHALL NOT BE REPRODUCEDOR COPIED ON USED AS THE BASIS FOR THE MANUFACON SALE OF APPARATUS
A		22279	7	$\dashv$			TE DATE	WITHOUT PERMISSION.
	=		=	-		_	·	



BY-PASS ROLLER ASSEMBLY 121052-001 (SOUNDHEAD) here every here

Marie 1948 Marie Marie 1940


· Processing

- Company V

HEFT		West.	5	L	Y	n	LOF MATERIAL ASSEMBLY # PL	pl 1210:
REG.	'-1	ASSEA	ASSEMBLY NAME	AME 13y-	Pass	ne By-Pass Roller	r Assembly (SoundHEAD)	DATE REG'D
W.O. #						RIC	MAINTERA	B-II P/N
TEM NO.	PART NO.	QIY. PER ASS'Y	REG.	QTY. ISSUED	SIT.	SPARE PTS.	PAHI NAME	2000101
-	119159-001	1					Shaft, By-Pass Roller	/812230
۰   د	110168-001	-					By-Pass Roller	7812336
7	117100-001	,					Ball Bearing	
e   .	731 100001	· -					Retaining Ring, External	
4 n	570-156805	-					Scrwe, Socket Head Cap, Hex Socket 8-32x5/8	
	250577-040							
!								
					_			
				_	_	_		
						<u> </u>		
					•			
			-	-	<u> </u>			
		-	_		_	-		
				_			POSTED MAT. ISSUED	THESE DRAWINGS AND SPECIFICATIONS ARI THE ROPERTY OF CHRISTIE ELECTRIC CORP THE SHALL NOT DE REPRODUCED, OR COPIED AND SHALL NOT DE REPRODUCED, OR COPIED
REV	. ECO B	11222	+		T	+	0 h	OR USED AS THE BASIS FOR SPENTURE PROCUREMENT OR SALE OF APPARATURE WITHOUT PERMISSION.
┥			+	1	T	+	DATE	
	=		=	•	,			

P35		N/G H-8	:																			ARE SPECIFICATIONS ARE	THESE PROPERTY OF CHRISTIE ELECTRIC COPIED.  AND SHALL NOT DE REPRODUCED OR COPIED.  AND SHALL NOT DE REPRODUCED OR COPIED.  OR USED AS THE UASIS FOR THE MANUFACTOR OR SALE TO THE WANTHOW THE WASIS OF THE WITHOUT PERMISSION.	
	DASH POT 01L		PAHT NAME	Lable Dash Pot Oil (Christie)	Bottle with Dropper	011, Mineral																		
■∢	BOTTLE		REC. SPARE PTS.										<u> </u>			<u> </u> 	-		_					- <u>-</u> -
80980			917. SHT.			*4."						+	-		-	-	_	+	-			-	-	ì
0	NAME		OTY. ISSUED								-	+		 		-	-	-	1	<u> </u>	<u>                                      </u>	-	-	_{_{i}}
<b>)</b> z	ASSEMBLY NAME		REG.			7		 -	<u> </u>	-	-	-		 -		-	+	-			-	+	73	<b>=</b> .
	ASS	<del>-</del>	OTY. PER ASS'Y	-	-	2 02	1	<u> </u>			-			1	1	+	<u> </u>	1			<del> </del>	+	22173	
1 0F 1			PANT NO.	121213-001	508031-389	508031-390	200000					-											ECO B	5


March 1988 Barrier		The second		E o		TED ASSEMBLY # LOF MATERIAL ASSEMBLY #	
SHEET.	AS	ASSEMBLY NAME	Y NAME	·   •		MO M	P35
REG. #	₹ 	2010		CHAI	CHANGEOVER	DOUSER LIGHI BAFFLE ASSENDE	DATE REGID
	- E.S.	914	QIV.	O OTY.	REC. SPARE	PAHT NAME	B-H P/N
NO.	ASS	_!-		!	1	Primary And Secondary Light Baffle	7812275
1 119186-001	<u> </u>	-	1			Third Light Baffle	7812279
2 119190-001	<u> </u>	-	-	-			7812277
	<del> </del>	<u> </u>	-			Douser Guide (forward) And Final Light Baffle	7812276
4 119187-001	<del>                                     </del>	-				Douser Guide (left side) And Spacer	7812278
	-					Douser Guide (right side) And Spacer	7812284
	<u> </u>					Douser Assembly ( REFERENCE ONLY!!)	7812309
	,					Screw, Mach., Pan Head, Phil. 8-32 x 9/16	
8 598931-417	-					Screw, Mach., Pan Head, Phil. 8-32 x 7/8	
9 598931-080	1 -	-				Nut, Hex, 8-32, Steel	
$\top$	7					Washer, Split Lock, #8	
11 55005						Spacer, Primary And Secondary	7812281
12 119191-001	<del> </del>		-			Screw, Mach., Pan Head, Phil. 8-32 x 1-3/4	
13 598931-418	γ α 		<u> </u>			Screw, Mach, Pan Head, Phil. 8-32 x 3/8	
14 598931-078	7	-				Stand-off. Third Baffle	7812283
15 119193-001	7		-	<del> </del> -			-
16 598931-074	2		-	-	1	arn crack	
	=	-	+				
				-			
					==		THESE DRAWINGS AND SPECIFICATIONS ARTHE PROPERTY OF CHRISTIC ELECTRIC COPE
REV ECO B	22010	9					AND SHALL NOT BE REPUBLICACE MANUFACTOR USED AS HIE FASIS FOR THE MANUFACTOR USED AS HIE DASSISSION.
A 90/82			+			DATE DATE	
=	_	=	•		•		



CHANGEOVER DOUSER AND LIGHT BAFFLE ASSEMBLY 119249-001


A L	trained trained	2	V, H. O. d. H. O. O. Z.	2			A A	T E D LL OF MATERIAL ASSEMBLY
BFG #	1	×	SSEMBL	Y NAM	_     w	THUI ON IMPAU	- ON	ICHT ASSEMBLY 7812286
W.O. #			1				2	
ITEM	PART NO.	OIY. PER ASS'Y		OTY. QI REQ. ISS	QIY. 9	SHT.	RCC. SPARE PTS.	PART NAME
0	- 11					1		Lug, Quick Connect, 22-18AWG.
_	583218=011		-		<del> </del>			Lug, Spade, 22-18AWG, No. 6
2	583210-010							Washer, Flat #8
m -	596931-078							Screw, Pan Head, Phillips, 8-32 x 3/8
±   L	59631-084	<u> </u>		<u> </u>				Washer, Split Lock #8
م ام	598931-102	ļ -						Bulb Socket (wires attached)
		<del> </del>						
		<u> </u>	-					
		+	-					
		_	+	-				
		-						
		$\dashv$		-				
		+		$\top$		-		
		$\dashv$						
		_		_				
								MAT. ISSUED THE PROPERTY OF CHERDON OF CHEBONICS ON CHEBONICS CONT.
REV	v . ECO			+		+	+	ВУ
			1	+		+	+	TE DATE
			=	-		•	,	

•



FRAMING LIGHT ASSEMBLY 119250-001

BEST AND SECTION OF SE	L				是是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一	LOF MATERIAL ASSEMBLY # PLA
_		z -	0	a	<u> </u>	MODEL # P35
neg. //	ASSE	ASSEMBLY NAME	AME 01	OUTER .	PIMING	TIMING BELT ADJUSTABLE IDLER ASSEMBLY 7812290 OTY DATE REG'D
	017.	914.	OIY.	017.	REC.	PART NAME
NO.	ASS'Y	K.C.	135000		Ë	7812229
1 119150-001	_					Cap 7812127
2 119060-001						StandorT 7812289
3 119198-001	-					Arm 7812291
4 119199-001						Base 7812325 Technol 141er Roller Assembly
						Head Ca
	-					Screw, Socket Head Cap, Hex Socket, 1/4-20 x 2-3/4
7 598931=038	-					'
	2		-			
525				_		
					_	
				-	_	
			_	-  -	_	
		_	-		_	
	_		-	-		AS SNOITAGING CIT.
- ECO B	19662	٩	20982	82		THESE DAMMING CHRISTIE ELECTRIC CORR THE PROPERTY OF CHRISTIE ELECTRIC CORR THE PROPERTY OF CHRISTIE ELECTRIC CORR AND SHALL NOT BE REPRODUCEDOR FOR THE MANUFACT OR USED AS THE DASIS FOR ANUFACT OR APPARATUL TURE, PROCUREMENT OR SALE OF APPARATUL WITHOUT PERMISSION.
A 12/15/80 C-	49764	<u> </u>	_		<del></del>	




OUTER TIMING BELT ADJUSTABLE IDLER ASSEMBLY 119251-001

Sec. Sec.


No. 1004 1004 1004 1004 1004 1004 1004 100	ASSENBLY NAME   ACCESSORY KIT 7812315   MOUNTAINE	<b>E</b>	2			0	e c	T.	NOOR POR AITEO
рант NO.         347, 912, 912, 912, 942, 942, 942, 942, 942, 942, 942, 94	рант No.     977, 971, 971, 971, 971, 971, 971, 971,	SHEET REG. //		ASSE	MBLY	AME			SSORY KIT 7812315
\$26931-219 1 Brush (Paint) \$98931-240 1 Hex Ball Driver, 7/64 \$98931-240 1 Hex Ball Dr	98931-219 1 Brush (Paint) 598931-220 1 Brush (Paint) 598931-240 1 Hex Ball Driver, 7/64  698931-240 1	W.O.#		<u></u>					H • 8
\$98931-219 1 Brush (Reint) \$98931-220 1 Hex Ball Driver, 7/64 \$98931-240 1 Hex Ball Driver, 7/64	\$28931-219 1 Brush (Reint) \$98931-240 1 Hex Ball Driver, 7/64  \$98931-240 1 Hex Ball Driver, 7/64  \$100	ITEM	PART NO.	OTY. PER ASS'Y	REQ.	OTY. ISSUED		REC. SPARE PTS.	
\$9831-219 1 Hex Ball Driver, 7/64  \$9831-240 1 Hex Ball Driver, 7/64  \$9831-240 1 Hex Ball Driver, 7/64  \$987 500 1 Hex Ball Driver, 7/64  \$988 500 1 Hex Ball Driver, 7/64  \$98	\$28931-240 1 Hex Ball Driver, 7/64  \$98931-240 1 Hex Ball Driver, 7/64  \$100	20.							یا
59831-210   Hex Ball Driver, 7/64	\$98931-240 1 Hex Ball Drivet, 7/64  \$98931-240 1 Hex Ball Drivet, 7/64  \$100 1	19	598931-219	-					
958931-240 1 Hex Ball Driver, 7/64  Hex Ball	598931-240   Hex Ball Driver, 7/64  Hex Ball	20	598931-220	-					
EV ECO BY	EV COS DATE DATE	2.	598931-240	-					Ball Driver, 7
EV ECO	EV ECO   BY BY BY BATE   DATE   DATE   DATE								
EV ECO BY BY BY BY BY BY BY BATE BATE BATE BATE	EV ECO   BY BY DATE   DATE								
EV ECO BY BY BY BY BY BY BATE DATE					1				
	EV ECO   BY BY DATE   DATE							·	
	EV ECO   BY BY BATE   DATE   DATE				1	_	_		
					_				
						-			
			*1						
					1	1	-		
						_			
								<del>-</del>	
1EV ECO   POSTED MAT. ISSUED   DATE   DATE	FOSTED   MAT. ISSUED   MAT.				_	-	-	-	
1EV ECO BY BY BY DATE DATE	Column   C				$\frac{1}{1}$	_	1	1	
EV ECO BY BY BY BY BY BATE DATE DATE	EV ECO BY BY BATE DATE								
FEV   ECO	FOSTED   MAT. ISSUED   BY   BY   BY   BATE   DATE		-	-	-				
FOSTED   MAT. ISSUED   BY   BY   DATE   DATE	NEV ECO BY BY BY DATE DATE			+	-	-	-	_	
FOSTED   MAT. ISSUED   BY   BY   DATE   DATE	NEV         ECO         BY         BY           IDATE         DATE				_		1	1	
IEV ECO MAT. ISSUED BY BY DATE	NEV         ECO         BY         BY           IDATE         DATE								
IEV         ECO         BY         BY         BATE	NEV         ECO         BY         BY           IDATE         DATE			-	-	-			
IEV         ECO         BY         BY         BY           DATE         DATE         DATE	IEV         ECO         BY         BY         BY           IDATE         DATE         DATE			+	-	-	-	-	
LEV ECO BY BY DATE	LEV ECO BY BY DATE				_		#		MAT. ISSUED
DATE	DATE DATE	38			-	1		+	ВУ
					_	-		+	DATE

# P35		8-H P/N	:														-					VINGS AND SPECIFIC	THE PROPERTY OF CHILSILE ELECTRIC COPIED, AND SHALL NOT DE REPRODUCED, OR LOSD AS THE MANUFACTOR SALE TAPPARATUS	RMISSION.
BILL OF WAILINGE	ACCESSORY KIT 7812315		PAIIT NAME	Bottle Dash Pot Oil	Carton	Hex Wrench, 1/16 Short Arm	Hex Wrench, 5/64 Short Arm	Hex Wrench, 3/32 Short Arm	Hex Wrench, 7/64 Short Arm	Hex Wrench, 1/8 Short Arm	Hex Wrench, 9/64 Short Arm	Hex Wrench, 5/32 Short Arm	Hex Wrench, 3/16 Short Arm	Hex Wrench, 1/4 Short Arm	Hex Wrench, 2.5mm Short Arm	Hex Wrench, 3.0mm Short Arm	Hex Wrench, 4.0mm Short Arm	Hex Wrench, 5.0mm Short Arm	Hex Wrench, 1.5mm Short Arm	Hex Ball Driver, 9/64	Hex Ball Driver, 3/16		22173 POSTED MAT. ISSUED	
A R O C C			REC. SPARE PTS.																				F 2	+
0			OTT. SHT.																					+{
0	A M E		OTY. ISSUED																					
z	ASSEMBLY NAME		OTT. REQ.																				٥	ш .
	ASSEN		OLY. PER ASS'Y	-	-	-	-	-	-	-		-	-	-	-	-	-		-	_				
_ 0F_2			PAHT NO.	121053-001	125000-125	530000	498400-020	598500-021	598500-022	598500-023	598500-024	598500-025	598500-026	598500-027	598500-028	598500-029	598500-030	598500-031	598500-032	598931-087	598931-088		ECO B	<b> -</b>  "

To Nill	Active No.		الموسطة	A CONTRACTOR	WILLIAM CO. C.		Number of the second	TESTO IN TENDE TENDE ASSEMBLY # P	-1
SHEET		F	CCEMB	A SCEMBIY NAME	.   				P35
REG. #		T	SSEMB			SHUTTER ASSEM	ER A	SSEMBLY 7812320 OTY	DATE REGID
W.O. #		=			-				B-H P/N
ITEM	PART NO.	0.F.&	PER PER ASS'Y	OLY. OLY. ISSUED	Y. Off.		RCC. SPARE PTS.	PART NAME	
	10005-001	1						Shutter Blade	231
-	100000000000000000000000000000000000000	<u> </u>	<del> </del>	<u> </u>	-	<u>                                      </u>		Shutter Hub	7812319
2	100-002611	<u> </u>	. ,	-	-			Screw, Socket Head Cap, Hex Socket, 6-32 x1/2	
m	598931-042	<del> </del>	1 6	-	-			Screw, Button Head Cap, Hex Socket, $4-40 \times 1/4$	
<b>4</b>	598931-249		1 5	a n				Adhesive	
	10000	-							
		<u> </u>							
		+	+	1	-				
i		-	1	-					
			1			<u> </u>			
		<u> </u>							
		+-							
		+	-	+	+				
		+				+			
									-
		<del> </del>			-				
		-			-				
		+							
								TAM ISSUED	THESE DRAWINGS AND SPECIFICATIONS ARI
AEV	- ECO						_		AND SHALL NOT BE REPRODUCED THE MANUFAC OR USED AS THE BASIS FOR THE MANUFAC OR USED AS THE BASIS FOR THE MANUFAC TURE. PROCUMEMENT OR SALE OF APPARATU!
1		_				-	-	TE DATE	WITHOUT PERMISSION
	=	_	_	- -		-	-		




	Section Report	F				- T	्रु स स स	N C O R P O R A T E D NODEL P 35	
REG.			ASSEM	ASSEMBLY NAME	NAME Exciter Lamp	er Lo	un Sc	emb1y	TE NEO'D
W.O. #									N.
ITEM NO.	PANT NO.	====	OTY. PER ASS'Y	QTY. REQ.	OTY. ISSUED	SHT.	SPARE Prs.		
1	119216-002							LAMP	
2	511311-182		S.					IS AWG, WILLE, T.	-
6	511909-002	Ħ	.01 L1					Solder	
7	583218-016		2					Lug, Spade, Red	
		†							
							-		
						1	+		
						_	_		
					1_	_	-		
							<u> </u>		
					·				
					-	-	<u> </u>		
						+	+		
				_			1		
						-			
			<u> </u>	-	-	-			
1			-	-		+	1		S SPECIFICATIONS AF
					4	-	$=$ $\begin{bmatrix} - \end{bmatrix}$	THESE DR. THE POSTED MAT. ISSUED THE PROPE	RAWINGS AND STEELECTRIC COR PERTY OF CHRISTIE ELECTRIC COPIE L. NOT BE REPRODUCED ON COPIE
REV	. ECO			-	_			BY	OR USED AS THE BASIS FOR THE PARATE TURE, PROCUREMENT OR SALE OF APPARATE WITHOUT PERMISSION.
	+	$\dagger$		<u> </u>	-			II DATE COLL	
		•							



EXCITER LAMP SOCKET ASSEMBLY 119216-001


THESE UNIVERSITY OF CHRISTIE ELECTRIC CONI THE PROPERTY OF CHRISTIE ELECTRIC CONI THE SHALL NOT BE REPRODUCED, OR COPIEI OR USED AS THE BASIS FOR THE MANUFAL OR USED AS THE MANUFAL TURE, PROCUIREMENT OR SALE OF APPARATU	POSTED MAT. ISSUED BY BY DATE						003 .	REV
		_	_	_				
			-					
	Nut, Hex, Nylock, 4-40	_		_		2	598931-075	15
	· ا œ	_				1	598931-397	14
	82, nex socket 4 force		_	-		2	598931-165	13
			-	_			598931-164	12
	Socket head cap, new cortor 8-32x	_	_		-	2	598931-163	11
	Absor					<u>و</u>	598931-118	101
	Washer, Split Lock, "O					7	598931-084	6
	riat, orest,		$\frac{1}{1}$			2	598931-074	8
	Sw, Socket Head dap, head done,					2	598931-045	1
	ier, Flat, Small partern		$\perp$		_	7	515819-303	9
	ter Lamp Socket Assemb						119216-001	5
	er, bleeve, bothcar					6	119214-001	4
7812268	k, spacer, excrete					-1	119213-001	3
7812267	e, Isolation, Exceeding					7	119212-001	2
7812266	e, Adj, monitaris moditar Le					-1	119211-001	-1
7812265	: " <	REC. SPARE PIS.	SIIT.	QTY. 1SSUED	MEQ.	PER ASS'Y	PART NO.	ITEM NO.
N-11 P/N			• • • • • • • • • • • • • • • • • • • •			_		W.O.#
DATE REG'D	Lamp Mounting Assembly 17812328 OTY	unp Mor		JAME Exciter	ASSEMBLY NAME	ASS		REG. #
						•	l	SHEEL



Second Burney	<b>Wednesd</b>		A B. O B. O		7	4	TE TO P MATERIAL ASSEMBLY # PL	
SHEET	ISSA	MBLY N	ASSEMBLY NAME				> 0	
REG. #	<u>}</u>	)				00	DOUSER ASSEMBLY 7812309   DOTY   DATE: CONTROLL   DOUSER ASSEMBLY	
W.O. #				Ш_	-		N/4 H-8	
ITEM PART NO.	OTY. PER ASS'Y	NEQ.	SSUED .	ED SHT.		SPARE PTS.	COCC. CL	
110002-0001				<u> </u> 	<u> </u>		Douser	
			-	-			Douser , connector	
2 119204-001	. 7		-				Screw, Set, Hex Socket, Cup Point, 6-32 x 3/16	
3 2000	<u> </u>							
		-	-	1				
		$\perp$	+	-	+			
		-	-	-				
			<u> </u> 	-	$\exists$			
	<u> </u>	-						
	-	-						
	+	-	-	-				
		$\dashv$	-					
		_		-				
								!
		-						
	<u> </u>							
							THESE DRAWINGS AND SPECIFICATIONS AND SPECIFICATION	FICATIONS AF
ECO .					$\dashv$			THE MANUFA OF APPARATI
250					+	+	TE DATE	
		==	<del></del>		-	-	- -	

DOUSER ASSEMBLY 119263-001 FLARE ITEM #2 TO ITEM #1 IN POSITION SHOWN. NO TE:

Constant Constant		3				LOF MATERIAL ASSEMBLY # P	-1	
Ì		z -	0	۵ ا	4		P 35	
REG. #	ASSE	MBLY N	1AME		ASSEMBLY	LY INTERMITTENT MOVEMENT	DATE REG'D	
W.O.#	=======================================			100	REC.	PART NAME	B-H P/N	
ITEM PART NO.	ASS.Y	REQ.	Issaco	SHT.	PTS.			
1100466-001		1				Film Sprocket		
	-	ļ ļ				Film Stripper		
+	,					Fastening Screw Stripper		
	-					Flywheel Gear		
+						Idler Gear with Pulley		
5 119498-001	-		_			Intermittent Body		
6 121276-001	-					Socket, M5x14mm	DIN 91212	
7 515500-117	-		_	_				
						Washer, Split Lock, #10	1	
	-					Washer, Plain Flat, M5	01N 3021	
9 515819-402	-	-						
	-\ -\tau	1	+	+				
					-			
		-	-	-				
	-	+	-	-	-			
	_	_	1	-	_			
	=				1			
	\ <del> </del>	-				MAT ISSUED	THESE DRAWINGS AND SPI	ECIFICATIONS AF E ELECTRIC COR
REV CCO B	22010	0 =		22403			AND SHALL NOT UE REINFORTHE MANUFA OR USED AS THE BASIS FOR THE OF APPARATIONE. PROCUNEMENT OR SALE OF APPARATIONE. WITHOUT PERMISSION.	OR THE MANUFA
A			-		_	-		



THESE DRAWINGS AND SPECIFICATIONS AFTHE PROPERTY OF CHRISTIE ELECTRIC CORNOR SHALL NOT DE REPRODUCED COPIED OF USES THE BASIS FOR THE MANUFATURE, PROCUREMENT OR SALE OF APPARATIVE, PROCUREMENT OR SALE OF APPARATIVESION. DATE REG'D ASSEMBLY # PL - 11945C DIN 91212 DIN 9021 P/N P35 B-H MODEL # ΩТΥ MAT. ISSUED Hex Socket, M5x14mm L OF MATERIAL POSTED PAHT NAME Stripper Split Lock, #10 Socket Head Cap, ASSEMBLY INTERMITTENT MOVEMENT £ idler Gear with Pulley Plain Flat, Intermittent Body Fastening Screw Film Sprocket Flywheel Gear Film Stripper Washer, Washer, Screw, SPARE PTS. 22403 ory. ISSUED ASSEMBLY NAME 0 01 16.2₹ OLY. PER ASS'Y 7 598931-085 515819-402 119498-002 515500-117 121276-001 119485-002 119466-001 119473-001 119474-001 PART NO. ô SHEET 15 V S 10 3 11EG. # W.O. # NO. 9 ما ω Ŋ

DATE 'n

> DATE ξ

22010 22281

മ

ECO

REV

BANG COM

¥0. ∵. ¥

B4.00.05